




9. Alternate source. Describe the other possible sources for the goods, services, or construction that were investigated but did not meet the agency needs.  
 We have read about other decontamination systems but they are not portable as the AreoClave RDS 3110. We need a portable system to tend to our various ambulance units around the island of Oahu.

<p>10. <b>Person that will be responsible for managing this procurement:</b>          Department/Division: Honolulu Emergency Services Department, Emergency Services Division           Contact Name/Title: Alan W.L. Young</p>	<p>Phone Number: 808-271-4535          E-mail Address: ayoung1@honolulu.gov</p>
--	---

Department shall ensure adherence to applicable administrative and statutory requirements, including HAR Chapter 3-122, Subchapter 15, Cost or Pricing Data if required.

***I certify that to the best of my knowledge, that the information provided above is true, correct, that there is no conflict of interest related to this procurement, and that the goods, services, or construction are available through only one source.***


  
 \_\_\_\_\_  
 Department Head Date

**Reserved for BFS Use Only**

Date Notice Posted: \_\_\_\_\_

Submit written objections to this notice to issue a sole source contract within seven calendar days or as otherwise allowed from the above posted date to:

Chief Procurement Officer  
 Department of Budget and Fiscal Services  
 530 South King Street, Room 115  
 Honolulu, Hawaii 96813  
[bfspurchasing@honolulu.gov](mailto:bfspurchasing@honolulu.gov)

Chief Procurement Officer's comments:

APPROVED   
  DISAPPROVED   
  NO ACTION REQUIRED

\_\_\_\_\_  
 Chief Procurement Officer Date